


RM-35 11' Crane Body


MODEL	CAB-TO-AXLE	A	B	C	D	APPROX. COMPARTMENT CLEAR DOOR OPENING			
						E	F	G	H
60" Roadside Height	84"	36"	21"	47"	28"	30 1/2" W X 52 1/2"H X 18 3/4"D	17 1/2" W X 52 1/2"H X 18 3/4"D	45 1/2" W X 15" H X 18 3/4"D	22 1/2" W X 36 1/2"H X 18 3/4"D
60" Curbside Height	84"	36"	21"	47"	28"	30 1/2" W X 52 1/2"H X 18 3/4"D	17 1/2" W X 52 1/2"H X 18 3/4"D	45 1/2" W X 15" H X 18 3/4"D	22 1/2" W X 36 1/2"H X 18 3/4"D

The RM-35 Crane Body is a 11' Crane Body built for a crane rating up to 6,000 lb. (39,000 ft.lbs.) and an 84" cab-to-axle chassis. Recommended chassis – Class 5: Ford F-550, Chevrolet 5500, Ram 5500, International CV, as well as others.

Roadside



Curbside



Capacity (lbs)	Rated lifting moment (ft.lbs)	Max. lifting moment (ft.lbs)	Boom extensio n	Power outreach	Winch speed (ft./min)	Standard weight (lbs)	Chassis Specifica tion
5000	32500	34580	2 Hydraul	25 ft.	19	1170	Class 4